



BASIC SERVICE

## Electronic wheel balancer MT 826 | RAL7040

For small to medium-sized workshops | Rim diameter 8 - 26.5" | Dual LED Display | RAL7040

Article number: 1 694 201 063

## Description

Thanks to the new and space-saving design, the MT 826 series is the wheel balancer of choice when working in confined spaces with all types of vehicle, motorcycle, and light commercial vehicles.

### Ultra-Compact

- Our most compact wheel balancer, perfectly equipped to handle all types of wheels up to 65kg and up to 820mm diameter
- Total of 11 balancing programs for passenger car, light truck, and motorcycle wheels (static and dynamic)
- Quickly switch from passenger car to motor cycles wheels

### Enhanced Time Savings

- Use the split program for exact positioning of weights behind the spokes
- Automatic measuring procedure with dual LED display and LED direction arrows
- Wheel guard hoop with electric locking for automatic start

### Optimal Total Cost of Ownership

- High price-performance ratio
- No service technician for calibration needed
- Robust pedal-operated brake to lock machine shaft when clamping wheel into position and attaching balance weights
- Simplified machine maintenance thanks to integrated calibrating and self-diagnostic software

### Ergonomic Design and Easy Access

- Ergonomic wheel cover design
- Well thought-out weight compartments
- Many shelves for weights and tools
- Storage holders for flanges and accessories included

**Optional:** Automatic determination of rim width with additional measuring arm

### Scope of delivery:

- MT 826
- Digital LED display
- Wheel Cover
- Mechanical centering flange with 3 cones
- Weight pliers
- Calibration weight

Color: RAL7040

## Technical Data

Wheel diameter max.	820 mm
Weight	76 kg
Measuring speed	208 - 250 rpm
Measuring time	10 s
Display	Doppel LED-Display

Wheel width max.	420 mm
Wheel weight max.	65 kg
Depth	1270 mm
Height	1280 mm
Power supply	230 V / 50 Hz
Width	1100 mm
Balancing accuracy +/-	1 g
Rim width - manual input	2 - 20 "
Rim diameter - manual input	8 - 26,5 "
Phases	1

## Accessories

1 695 600 598	Rim width measurement arm Electronic   for MT 826 D
1 695 656 569	Flange case Light Truck
1 695 653 449	Centering cone for off road vehicles   Ø 95 - 132 mm
1 695 654 849	Centering cone set Light Truck   Ø 95 - 174 mm   3 pcs.
1 695 606 200	Cone spacer   for truck cone 1695606300
1 695 654 043	Universal flange Passenger car   for closed 3-, 4-, 5-hole rims
1 695 655 294	Specific clamping plate set QuickPlate   variable   for 3-, 4-, 5-hole rims   3 pcs.
1 695 656 783	Centering kit Light Truck
1 695 656 822	Special centering kit for BMW
1 695 656 698	Centering system DuoExpert   3 collets   54 - 78 mm
1 695 656 570	Flange case Kit Duo Expert   for passenger cars   with pressure plates
1 695 654 553	Plug-in stud   long taper  Ø 24,5 mm   12 x 80 mm
1 695 000 542	Wheel centering kit for motorbikes   Conical  Basic   Ø 14 mm