



TRUCK

## Truck tyre changer MS 75

Tyre Fitting for all commercial and agricultural vehicles | Rim diameter 14 - 42", with clamp extension until 56" | up to a wheel width of 910 mm | adjustable hydraulic pressure | two rotational speeds

Article number: 1 694 200 074

## Description

- MS 75 - first choice for tyres on trucks, buses and agricultural vehicles up to a wheel width of 910 mm.
- The adjustable hydraulic pressure ensures safe fitting/dismantling of alloy wheel assemblies.
- The large fitting carriage and the maximum pressure force of 3.7 t enable work on super-singles and heavy commercial vehicle wheels.
- The 4-jaw clamping unit can be rotated in either direction with a choice of two speeds.
- All of these factors make the MS 75 the ideal universal fitting device for your company.

### Portable control unit

- The mobile low-voltage control panel enables singlehanded operation of the tyre changer. Your ability to observe the operation is not compromised where safety is concerned.

### Sturdy jaw clamp

- Each wheel is firmly held by four clamping jaws. The twin speed rotation of the clamping device makes fitting and dismantling much easier.

## Technical Data

Wheel diameter max.	2300 mm
Bead breaker force	3700 kg
Weight	882 kg
Rim diameter max.	42 "
Wheel width max.	910 mm
Wheel weight max.	1200 kg
Depth	1750 mm
Height	1750 mm
Power supply	3 x 400 V   50 - 60 Hz
Width	2200 mm
Clamping capacity (with extension)	44 - 56 "
Rim diameter min.	14 "

## Accessories

1 695 301 711	Protection jaws for aluminium rims   52 "   for MS 75   4 pcs.
1 695 300 102	Roller for tubeless tyres   for all truck tyre changers
1 694 302 032	Inflation Cage   for truck tyres
1 695 700 052	Electronic inflation computer   for tyre inflation cage
1 695 700 051	Tubeless Inflation Device   for inflation cage
1 695 301 710	Clamping jaw extension up to 56 "   for MS 75   4 pcs.
1 695 301 782	Extension claws for thick rim flanges   for MS 75   4 pcs.
1 695 301 781	Center hole adapter from 80 mm   for MS 75   4 pcs.

1 695 103 526	Pneumatic Bead Depressor   for truck tyre changers MS 70/75/78/80
1 695 300 098	Split ring wheel clamp   for OTR (Off-the-road) wheels
1 695 300 099	Rim clamp for aluminium rims
1 695 300 094	Bead lifting lever   for truck tyre changers